



Bariatric Products



Bariatric Products

To cater adequately for large and heavy patients, design is focused on larger, reinforced frameworks and electronics with increased weight capacity. Some products also have a patient weigh scale and powered drive options.



Contour Energy



Contour Recline Barituff



Contour Exami



Contour Barituff



Contour Barituff-X



Aquatuff



Aquatuff Bari



Aquatuff Electric



Tango Bariatric Hygiene Chair



Elexo Bariatric Hygiene Chair - Electric



Bariatric Shower Chair



Handrail Scales



Wheelchair Scales



Three Section Exam Table - Bariatric



Floorline Bed



Bariatric Bed

Contour Energy

A transport chair with ZERO effort, 4-way power drive reducing the risks of strain during patient transport.



Key Benefits

Ergonomics & intuitive: Drive effortlessly in any direction with only the slightest of touch, paired with perfect positioning of the drive controls for ease of use.

Easy access: The large footplates offer generous support to your patients and lift quickly for clear egress.

Powerful movement: A rotating electric drive wheel provides excellent traction, while center steering makes patient transport easier over longer distances.

Why Buy?

Take all the human effort out of pushing and manoeuvring chairs with an intuitive and intelligent drive system designed for easy use by any operator. Natural movement controls the speed and direction of the chair with the ability to stop very quickly by pulling back. Help prevent the most common carer strain injuries by taking the back twist out of moving heavy weight forwards, backwards and sideways. Patients are positioned comfortably with a gentle recline and feet fully supported. We've taken care with every aspect of design to ensure comfort and efficiency for both the patient and carer. Customise for a wide range of healthcare areas with relevant accessories.

Contour Energy



Ergonomic

Drive effortlessly in any direction by only light touch.



Intuitive

Perfect positioning of the drive controls for the operator.



Support

The large foot plates offer generous support to the patient.



Easy access

The large foot plates lift quickly and easily for clear egress.



Full clearance

Complete frontal clearance by lifting and rotating foot plates outwards.



Removable armrests

The side armrests can be fully removed for multi direction egress.



Versatile

Use the storage shelf during transport or customise with accessories such as IV poles, oxy holders or seat belt.

Specifications

Size: 750mm W x 1300mm L x 1180mm H

Seat Size: 650mm W x 520mm D x 550mm H

SWL: 300kg

Castor Size: 150mm

Package Includes: standard IV & vertical oxy holder

Product Code

MPC-C-ENT-EDU-P

Contour Recline Barituff

A 500kg SWL Bariatric chair with an extra wide top and deeper seat.



Key Benefits

Low & safe: The ultra-low height is combined with dropsides that glide down vertically under the chair top to provide safe access with no protrusions to catch on the patients legs or clothes.

Purpose built: Increased componentry strength in the core frame design operates with higher capacity columns to safely lift 500kg without overload.

Effortless control: Sit and position your patient comfortably and then raise them to the desired work height with the touch of a button.

Supercharged: Keep things moving with long-life, cordless, fast-charge battery packs that work all day.

Longest warranty: Peace of mind with a lifetime of local support, easy maintenance, and fast guaranteed parts.

Application

Ideal for Day Surgery, ED, Podiatry & General Ward

Why Buy?

Having equipment that is robust enough, that you can completely rely on, is the greatest challenge when caring for Bariatric patients. We have increased componentry strength in the core frame design which operates with higher capacity columns to safely lift 500kg without overload. A wider top with a deeper seat has been standardized to comfortably cater for large patients. Heavy duty, dark coloured vinyl is used on the mattress cushions to combat wear and staining. This stretcher chair has been built for Bariatric patients.

Contour Recline Barituff



Low and safe

Excellent 480mm low height with fold-under dropside.

The ultra-low height is combined with dropside that glide down vertically under the chair top to provide safe access with no protrusions to catch on the patients legs or clothes.



Easy egress

Forward tilt facilitates getting on and off.

For aged or disabled patients, a gentle incline and the long dropside armrests may assist in safer transfer.



Lies flat

The backrest and leg rest move independently or together from chair to bed.

You now have the flexibility of sitting a patient up to almost 90 degrees or lying down completely flat.



Head and foot tilt

A generous 15 degrees top tilt both directions.

Position a patient how you need them or quickly lower their head down (and feet up) in an emergency.



Smart transfer

Conveniently stored handles unfold for staff friendly transportation.

Lock in the double steer system, unfold the push handles and move forward effortlessly on the large castors. The unique handle design correctly positions the carer while preventing unwanted forces being applied directly to the patient.



Large top design

The Barituff has a 200mm wider x 140mm deeper seat than the standard Recline.

The seat size is increased to 850mm wide x 600mm deep, easily accommodating larger patients. Use our range of colour coding choices if required to assist in quick identification.



Clear handset

Large simple functions with colour assistance.

Position the patient quickly and easily with the touch of a button - either by independently moving sections or applying one touch contouring.

Specifications

Size: 980mm wide x 1270mm upright (1750mm lying flat) overall

Seat width: 850mm wide x 600mm deep seat

Mattress size: 110mm pressure care mattress cushion with heavy duty cover

Height Range: 480 - 880mm with lie-flat and forward/reverse tilt

SWL: 500kg

Castor size: Twin wheel 150mm castors

Package Includes: Standard IV, vertical oxy holder, drop down footrest & meal tray

Product Code

MPC-C-REB-P

Contour Exami

An economical, customisable, easy to move examination table available with or without dropsides.



Key Benefits

Safe & low: The 400mm low platform height of this table takes away the requirement to use step stools or unnecessary heavy lifting.

Excellent height: Electrically adjust the patient height up to 930mm helps to examine or treat your patient without having to stoop over, ensuring easy access and less stress.

Comfortable: 100mm fluid proof Protran mattress with a welded, pressure relieving cover.

Custom quality: Manufactured in Australia with speed, quality, and care, plus customisation capability

Longest warranty: Peace of mind with a lifetime of local support, easy maintenance, and fast guaranteed parts.

Application

Ideal for medical clinics, examination rooms, schools, prisons & mining sites.

Why Buy?

This patient platform is typically used in a wide range of areas such as medical clinics, examination rooms, schools, prisons and mining sites. Helping patients on and off an examination table is easy and safe with a design that allows the mattress platform down to 400mm, lower than a standard office chair height!

Uniquely, these stretcher examination tables are designed to be easily moved around and re-positioned due to their light-weight build and large castors. There are a range of accessories and customisations available to ensure the unit is designed to be priced and configured best to practically fit into your modern facility.

Contour Exami



Without dropsides

If you require a patient examination table, then this is worth considering. The standard Contour Exami without dropsides gives all the same functionality as an examination table, however has the additional value of colour choices and accessory mounting, while being very easy to move and reposition as required.



Ultra-low height

Make it easier and safer for patients to get on and off. The 400mm low platform height of this table takes away the requirement to use step stools or unnecessary heavy lifting. Sit and position your patient comfortably and then raise them to the desired work height with the touch of a button.



Excellent high height

Don't strain your back, raise a patient up to your best working height. Lifting the platform height up to 830mm (plus an extra 100mm for the mattress pad thickness), helps you to examine and treat your patient without having to stoop over, ensuring easy access and less stress. The backrest travels from 0 to 85 degrees with emergency CPR quick release option available.



15 degree head and foot tilt

A generous 15 degrees top tilt both directions. Position a patient how you need them or quickly lower their head down (and feet up) in an emergency.



Dropside, cover, colour options

Upgrades such as wider top, dropsides, base cover, colours and accessories. This is a very flexible platform with excellent customisation available. Change the standard Contour Exami from a basic examination table into an economy patient stretcher.



Go anywhere

Change from the standard 125mm twin to 175mm single castors for situations such as outdoor. If there is a requirement to wheel over rougher concrete, sand or grass terrains, this option gives larger diameter rubber wheels with 50mm extra ground clearance under the stretcher.

Specifications

Overall Size: 2135 x 815mm (965mm wide option).

Patient Surface: 1900 x 680mm (830mm wide option).

Height Range: 400 - 830mm.

SWL: 300kg.

Castor Size: 125mm twin wheel castors, 4 brakes and 1 steer.

Includes: 100mm Protran mattress, electric backrest that raises to 85 degrees, standard main power electric operation.

Options: dropsides, base cover, battery back-up with cable retractor, larger castors and 7 endrail colours.

Product Codes

Contour Exami (without dropsides); MPT-C-EXAMI

150mm wider top; MPT-CXA-WT

Battery backup; MPT-CXA-BB

CPR backrest release; MPT-CXA-BQR

Dropsides; MPT-CXA-5RD

Base cover with storage; MPT-CXA-BC

175mm large castor option; MPT-CXA-175

Contour Barituff

Our 500kg SWL, extra-wide, electric trolley designed for Bariatric patients.



Key Benefits

Purpose built: Increased componentry strength in the core frame design operates with higher capacity columns to safely lift 500kg without overload.

Effortless control: Sit and position your patient comfortably and then raise them to the desired work height with the touch of a button.

Supercharged: Keep things moving with long-life, cordless, fast-charge battery packs that work all day.

Custom quality: Manufactured in Australia with speed, quality, and care, plus customisation capability.

Longest warranty: Peace of mind with a lifetime of local support, easy maintenance, and fast guaranteed parts.

Application

Ideal for Day Surgery, ED, General Ward & Bariatric Care.

Why Buy?

Having equipment that is robust enough, that you can completely rely on, is the greatest challenge when caring for Bariatric patients. The Contour Barituff has increased componentry strength in the core frame design and operates with higher capacity columns to safely lift 500kg without overload.

The stronger and wider top comfortably caters for large patients, with a choice of mattress styles available to suit the type of departmental use. Stretcher stability is assured through an increased base size. The unique [Contour Orbit-Drive powered drive system](#) and weigh scales genuinely reduce manual handling risks to the carer. This stretcher has been built for Bariatric patients.

Contour Barituff



Ultra-low height

Very safe and easy for patients to get on and off. The 470mm low platform height of this table takes away the requirement to use step stools or unnecessary heavy lifting. Sit and position your patient comfortably and then raise them to the desired work height with the touch of a button.



Head and foot tilt

A generous 15 degrees top tilt both directions. Position a patient how you need them or quickly lower their head down (and feet up) in an emergency.



Excellent high height

Preserve your back and raise a patient up to your best working height. Lifting the platform height up to 850mm (plus an extra 100mm for the mattress pad thickness), helps you to examine and treat your patient without having to stoop over, ensuring easy access and less stress. The backrest travels from 0 to 85 degrees with emergency CPR quick release.



Easy customisation

Increase top width, change colours, mattress and dropside styles. Whether it is a specialised medical clinic or a department in a large hospital, every single customer has their own unique requirements to be able to function safely and efficiently. This stretcher has a longer, 7 riser PVC upgrade dropside.

Specifications

Overall Size: 2135 x 1100mm.

Patient Surface: 1900 x 980mm.

Mattress Size: 110mm and 150mm thick bariatric mattress options.

Height Range: 470 - 850mm.

SWL: 500kg.

Castor Size: 150mm twin wheel castors.

Package Includes: 110mm premia mattress, folding IV, vertical oxy, weigh scales, orbit drive, emergency CPR backrest release, 2nd handset & USB port.

Product Code

MPT-C-BE-P

Contour Barituff-X

A 500kg SWL extra-wide electric trauma trolley designed for Bariatric patients.



Key Benefits

Purpose built: Increased componentry strength in the core frame design operates with higher capacity columns to safely lift 500kg without overload.

Effortless control: Sit and position your patient comfortably and then raise them to the desired work height with the touch of a button.

Custom quality: Manufactured in Australia with speed, quality, and care, plus customisation capability.

Longest warranty: Peace of mind with a lifetime of local support, easy maintenance, and fast guaranteed parts.

Application

Ideal for ED / Imaging & Bariatric Care

Why Buy?

Having equipment that is robust enough, that you can completely rely on, is the greatest challenge when caring for Bariatric patients. The Contour Barituff-X has increased componentry strength in the core frame design and operates with higher capacity columns to safely lift 500kg without overload.

The stronger and wider top comfortably caters for large patients, with a choice of mattress styles available to suit the type of departmental use. Trolley stability is assured through an increased base size. The unique [Contour Orbit-Drive powered drive system](#) and weigh scales genuinely reduce manual handling risks to the carer. This trolley has been built for Bariatric patients.

Contour Barituff-X



Ultra-low height

Very safe and easy for patients to get on and off. The 600mm low platform height of this table takes away the requirement to use step stools or unnecessary heavy lifting. Sit and position your patient comfortably and then raise them to the desired work height with the touch of a button.



Excellent high height

Preserve your back and raise a patient up to your best working height. Lifting the platform height up to 980mm (plus an extra 100mm for the mattress pad thickness), helps you to examine and treat your patient without having to stoop over, ensuring easy access and less stress. The backrest travels from 0 to 85 degrees with emergency CPR quick release.



Head and foot tilt

A generous 15 degrees top tilt both directions. Position a patient how you need them or quickly lower their head down (and feet up) in an emergency.



Cassette holder options

Holders can be produced with single or double sided handles and any depth or shaped rebates to suit all of the unique cassette sizes in use today

Specifications

Overall Size: 2135 x 1100mm.

Patient Surface: 1900 x 980mm.

Mattress Size: 110mm and 150mm thick bariatric mattress options.

Height Range: 600 - 980mm.

SWL: 500kg.

Castor Size: 150mm twin wheel castors.

Package Includes: 110mm Premia Bariatric mattress, folding IV, weigh scales, vertical oxy, orbit drive, 2nd handset & USB port

Product Code

MPT-C-BEX-P

Aquatuff

A stainless steel shower trolley with hydraulically operated 300kg SWL and wide top option.



Key Benefits

Safe & secure: The dropsides fold underneath the top and the liner side lays down to provide gap free patient transfers.

Hygiene conscious: Tilt the top 2 degrees and lower the drain hose tip to quickly remove waste water.

Custom adjustments: Raise or lower the height of your trolley to suit bed transfer or best working positions. You can also lock the removable end rails into two positions, allowing 120mm extra space for longer patients.

Why Buy?

Having equipment that is robust and completely reliable is of the utmost importance when caring for larger or heavier patients. We have over-engineered the componentry strength in this design and our decision to use total stainless steel reinforces the lifetime of value that this bariatric shower trolley will give. The hydraulic operation helps to safely lift 300kg without overload, whilst four twin wheels with brakes and wider top all increase versatility in special needs.

Aquatuff



Safe transfer

The dropsides fold underneath the top and the liner side lays down to provide gap free patient transfer.



Easy drainage

Tilt the top and lower the drain hose tip to quickly remove waste water.



Height adjustment

Raise or lower the height of your trolley to suit bed transfers or best working positions.



Length adjustment

Lock the removable end rails (on each end of the top) into two positions, allowing 120mm extra space for longer patients.



Wide top option

Add a 100mm wider top for larger patients with wide shoulders.

Specifications

Size: 795 W x 1950mm including bumpers

Liner Inner Base Size: 550 W x 1700 L x 180mm Deep

Standard Hose Length: 1100mm, custom lengths available

SWL: 300kg (electric model available)

Height Range: 660 to 900mm

Castor Size: Quality 125mm twin wheel castors with total lock and steer

Junior Option: 795 W x 1680mm including bumpers

Junior Liner Inner Size: 550 W x 1450 L x 180mm Deep

Wider Comfort Option: 100mm (internal min width of 660mm)

Product Code

Aquatuff Hydraulic - MST-AQT

Aquatuff Hydraulic Junior - MST-AQT-J

100mm wider top option - MST-SA-EWT

Aquatuff Bari

A robust, fully electric 300kg SWL shower trolley with extra wide base and top for Bariatric patients.



Key Benefits

Safe & secure: The dropsides fold underneath the top and the liner side lays down to provide gap free patient transfers.

Hygiene conscious: Tilt the top 2 degrees and lower the drain hose tip to quickly remove waste water.

Custom adjustments: Raise your patient to a comfort position with a 15 degree electric backrest option available.

Why Buy?

Having equipment that is robust and completely reliable is of the utmost importance when caring for larger or heavier patients. We have over-engineered the componentry strength in this design and our decision to use total stainless steel reinforces the lifetime value that this bariatric shower trolley will give. The electric operation helps to safely lift 300kg without overload, whilst four twin wheels with brakes with wider base and top all increasing versatility in special needs.

Aquatuff Bari



Safe transfer

The dropsides fold underneath the top and the liner side lays down to provide gap free patient transfer.



Easy drainage

Tilt the top and lower the drain hose tip to quickly remove waste water.



Backrest option

Raise your patient to a comfort position with a 15 degree electric backrest.



Length adjustment

Lock the removable end rails (on each end of the top) into two positions, allowing 120mm extra space for longer patients.

Specifications

Size: 1195 W x 1950mm including bumpers

Liner Inner (min) Base Size: 950 W x 1700 L x 180mm Deep

Standard Hose Length: 1100mm, custom lengths available

SWL: 300kg

Height Range: 680 to 900mm

Castor Size: Quality 125mm twin wheel castors with total lock and steer

Electric Backrest Option: 15 degree

Product Code

Aquatuff Bari; MST-BARI

Electric backrest option - MST-SA-EBB

Aquatuff Electric

A stainless steel shower trolley with electrically operated 300kg SWL, wide top and backrest options.



Key Benefits

Safe & secure: The dropsides fold underneath the top and the liner side lays down to provide gap free patient transfers.

Hygiene conscious: Tilt the top 2 degrees and lower the drain hose tip to quickly remove waste water.

Custom adjustments: Raise or lower the height of your trolley to suit bed transfer or best working positions. You can also lock the removable end rails into two positions, allowing 120mm extra space for longer patients

Why Buy?

Having equipment that is robust and completely reliable is of the utmost importance when caring for larger or heavier patients. We have over-engineered the componentry strength in this design and our decision to use total stainless steel reinforces the lifetime of value that this bariatric shower trolley will give. The electric operation helps to safely lift 300kg without overload, whilst four twin wheels with brakes, electric backrest and wider top options all increase versatility in special needs.

Aquatuff Electric



Lies flat

The backrest option lies completely flat and raises up to 15 degrees at the touch of a button.



Standard design

The standard top has a full length dropside with an electric backrest raise option for extra comfort if required.



Safe transfer

The dropside folds underneath the top and the liner side lays down to provide gap free patient transfer.



Easy drainage

Tilt the top and lower the drain hose tip to quickly remove waste water.



Height adjustment

Raise or lower the height of your trolley to suit bed transfers or best working positions.



Length adjustment

Lock the removable end rails (on each end of the top) into two positions, allowing 120mm extra space for longer patients.



Wide top option

Add a 100mm wider top for larger patients with wide shoulders.

Specifications

Size: 795 W x 1950mm including bumpers

Liner Inner Base Size: 550 W x 1700 L x 180mm Deep

Standard Hose Length: 1100mm

SWL: 300kg

Height Range: 680 to 900mm

Castor Size: Quality 125mm twin wheel castors

Junior Size: 795 W x 1680mm

Junior Liner Inner Base Size: 560 W x 1450 L x 180mm Deep

Wider Comfort Option: 100mm

Product Code

Aquatuff Electric; MST-AQTE

Aquatuff Electric Junior; MST-AQTE-J

Electric backrest option (excludes Junior size) - MST-SA-EBA

100mm wider top option (excludes Junior size) - MST-SA-EWT

Tango Bariatric Hygiene Chair

Extra seat width and depth, and attractive design provides optimum comfort and includes user-friendly features.

Key Benefits


- Ergonomically designed backrest and seat
- Folding and extended armrests
- Ergonomically designed armrests for additional sitting space
- Foldable and removable footplates
- Suitable for use in the shower and toilet
- 2 part seat with toilet opening
- Rail for bedpan or toilet bucket
- 3 plastic castors fitted with brakes; 1 direction wheel - 125mm
- Overall size; 820 W x 1080mm D
- Seat size; 680 W x 660mm D
- Seat height; 510mm
- 300kg safe working load
- 2 year warranty

Product Code

- SCHC-TXXL

Why Buy

In addition to being used as a shower chair, it can also be used as a toileting system that can be wheeled over the toilet. The Tango Bariatric Hygiene Chair includes an ergonomic shaped backrest and seat which provides comfort and security to the user. It comes with large comfortable footrests with calf support that can be swivelled or removed making it easier for the user to sit down or stand up.



Elexo Bariatric Hygiene Chair - Electric

Have relief from physical strain by caring for obese clients with a height-adjustable, extra-wide, shower-toilet chair.

Key Benefits

- Simple electric high/low adjustment with battery indicators
- Tilt adjustment to a maximum of 17 degrees
- 125mm castors, 3 locking and 1 directional
- Extremely stable due to the fitting of 2 lifting motors
- Carrier for commode bowl or bedpan
- With sleep mode setting after 60 minutes
- Simple to recharge with charger included
- Folding and extendable armrests
- 2 piece seat with hygiene opening
- Ergonomic calf supports and swing away detachable footrests
- Overall size; 700 W x 820mm D x 1020 - 1570mm H
- Seat size; 670 W x 570mm D
- Seat height; 500 - 1050mm
- Backrest height; 460mm
- 220kg safe working load
- 2 year warranty

Product Code

- SCHC-EB

Why Buy

Caring for obese clients with traditional shower-toilet chairs is heavy work. The caregivers are obliged to work in unnatural postures and can suffer from static back strain. Lopital offers relief with the height-adjustable Elexo shower-toilet chair. The electric height-adjustability ensures that the seat reaches a maximum tilting angle of 20 degrees when at its maximum height, thereby creating the optimum seating balance for the client. It provides comfort with the ergonomically shaped seat, calf support and foldable extended armrests.



Bariatric Shower Chair

Wider seat widths and reinforced frame to suit the bariatric client.

Key Benefits

- Padded seat and curved backrest provide comfort and postural support
- Non-slip rubber feet
- Zinc treated and powder coated steel frame for best protection
- Overall size; 700, 750 or 800 W x 500 D x 910 - 1060mm H
- Seat size; 550, 600 or 650 W x 450mm D
- Seat height: 470 - 620mm
- Armrest height: 230mm
- Backrest height; 450mm
- Max User Weight: 300kg
- 1 year warranty

Product Code

- 550mm Wide - CQHC-AG0150
- 600mm Wide - CQHC-AG0160
- 650mm Wide - CQHC-AG0170

Why Buy

With thick high density foam covered in soft touch and a water friendly vinyl, you can adjust the height of this very sturdy seat by up to 150mm for the safety and comfort of any large sized patient.



Handrail Scales

This multifunction handrail scale is suitable for Bariatric patients and available with or without folding seat.

Key Benefits

- Movement compensation technology
- Capacity without seat - 360kg, with seat 300kg
- BMI function
- Tare/zero/hold/print/kg/lb
- Automatic re-weigh
- Updatable firmware
- Ports: RS232 and USB

Product Code

- SCWS-H250-00-2
- with seat: SCWS-H250-00-4

Why Buy

The handrail scale features a robust, multifunctional design. It's unique construction also features ergonomic handrails which provide additional safety and support to unsteady patients and also includes movement compensation technology, which eliminates involuntary movement. Assembly is effortless; with the scales patented high-joint which enables the scale to be assembled within seconds.

The scale is also equipped with two heavy-duty wheels which allow it to easily be moved within your facility. The scale can feature a stable, integrated seat which enables patients to remain safe and comfortable during the weighing process. For patients who can weight bear, the seat can be easily lifted, thereby enabling the patient to be weighed while standing as well, supported by the scale's ergonomic handrail.



SCWS-H250-00-2



SCWS-H250-00-4



SCWS-H250-00-4

Wheelchair Scales

This scale is available in 3 configurations and helps you to weigh patients confined to a wheelchair in a more comfortable and safer manner.

Key Benefits

- Movement compensation technology
- Capacity without seat - 360kg, with seat 300kg
- BMI function
- Tare/zero/hold/print/kg/lb
- Automatic re-weigh
- Updatable firmware
- Ports: RS232 and USB
- Platform size with 1 ramp; 800 x 780 x 70mm
- Platform size with 2 ramps; 1250 x 940 x 82mm

Product Code

- 1 Ramp: SCWS-H350-00-2
- 2 Ramps: SCWS-H350-00-3
- 2 Ramps & Seat: SCWS-H350-00-4

Why Buy

The wheelchair scale allows practices to measure patients confined to a wheelchair in a safe and comfortable manner. Your patients can be placed onto the scale via the scale's wide accessibility ramp. The scale also includes movement compensation technology, which eliminates involuntary movement during the weighing process to ensure accurate results. The scale also features a manual/automatic tare option, which allows the weight of wheelchair to be reduced in calculations. The wheelchair scale is easily assembled and can be folded and transported on two heavy-duty wheels. It is available with one or two ramps.



1 Ramp: SCWS-H350-00-2



2 Ramps: SCWS-H350-00-3



2 Ramps & Seat: SCWS-H350-00-4



2 Ramps & Seat: SCWS-H350-00-4



2 Ramps & Seat: SCWS-H350-00-4

Three Section Exam Table - Bariatric

A must have for facilities catering for Bariatric patients, featuring both sitting and lying positions.

Key Benefits

- | Re-enforced construction for the heavier user
- | 3 section support with power assist specifically designed for bariatric use
- | Durable, anti-bacterial, washable and flame-retardant upholstery
- | Classic dual lift construction offers excellent stability
- | Electric backrest and footrest powerfully lift patients
- | Multidirectional castors allow for easy mobility
- | Retractable wheels ensure a stable working platform
- | Adjustable non-slip rubber feet for uneven floors
- | Back and leg rest moves 80 degrees up and 35 degrees downward
- | Warranty: 10 years frame, 5 years German electrics
- | Dimensions 2015 L x 750 W with 680mm back and leg rest sections
- | Height range of 430 - 970mm
- | Weight Capacity 320kg

Product Code

- FSET-1010U-75E

Why Buy

With an excellent low height, generous top width and big weight lifting capacity, this table will help you to safely and without compromise, work with the challenges that arise in the care of obese or large patients.



Floorline Bed

The first ultra-low 100mm floorline bed with no towers and endless possibilities for low care, high care and up to 300kg Bariatric care.

Key Benefits


- Electric high / low with Anti-crush safe lowering function
- 200 and 300kg SWL bariatric options
- Height range - ultra low 100mm to 725mm high
- Electric auto regression 62 degree backrest
- Electric 35 degree knee contouring and 15 degree trendelenburg
- Natural Oak laminate end boards with options
- 75mm twin wheel castors and 'Clearview' under bed clearance
- Single - 2080 x 905mm (2000 x 890mm surface)
- King Single - 2080 x 1090mm (2000 x 1070mm surface)
- Double - 2080 x 1390mm (2000 x 1370mm surface)
- 10 year frame and 5 year electric warranty
- Range of optional accessories available.
- MADE IN AUSTRALIA

Product Code

- Single Bed - ARFB-EN7
- King Single Bed - ARFB-EN7K
- Double Bed - ARFB-EN9D-1000

Why Buy

The Floorline/Bariatric bed is an innovative three-in-one bed, it is the first ever bed that suits Low, High and Bariatric care with both 200 or 300kg SWL. It uses quality Linak motors and has a low height of only 100mm with no towers! Our floor level hospital bed is designed for grace and ergonomics, and to be one of the lowest beds available on the market for high care patient usage. It helps to prevent injuries and accidents caused by the high risk of patient falls.



Bariatric Bed

The ultimate comfort and support for Bariatric patients with a safe working load of 400kg.

Key Benefits

- Electric high / low, backrest, knee break and trendelenburg
- Under bed lighting system and backlit hand set
- CPR emergency release and battery backup
- 400kg Bariatric weight capacity
- 150mm central locking 'Tente' twin wheel castors
- Rotating corner buffers and end board custom options
- 390mm low to 830mm high position
- King Single - 2170 x 1090mm (2000 x 1070mm sleep surface)
- Extra Wide - 2170 x 1220mm (2000 x 1200mm sleep surface)
- Double - 2170 x 1390mm (2000 x 1370mm sleep surface)
- Queen - 2170 x 1520mm (2000 x 1500mm sleep surface)
- 10 year frame and 5 year electrics warranty
- MADE IN AUSTRALIA

Product Code

- King Single - ARBB-2400
- Extra Wide - ARBB-2400E
- Double - ARBB-2400D
- Queen - ARBB-2400Q

Why Buy

The Alrick 2400 Series provides long term reliability and is user friendly with its features such as a range of widths and heavy duty 150mm twin wheel castors, which allow the large bed to be easily and safely manoeuvred into position. Bariatric beds are sturdy and tough compared to standard hospital beds. They provide a larger sleeping surface with increased comfort. These also carry an excellent 10 year warranty guarantee on the strong durable steel bed framework.



Notes



Notes



Notes
